Author index

Abrahamsen, N. see Nishimura, E.

Adelhorst, K. see Kofod, H.

Ahrén, B., Simonsson, E. & Karlsson, S. Glucagon-like peptide-1₍₇₋₃₆₎amide and cytoplasmic calcium in insulin producing cells, 333

Ahrén, B. see Karlsson, S.

Amrani, M., Goodwin, A. T., Gray, C. C. & Yacoub, M. H. Ageing is associated with reduced basal and stimulated release of nitric oxide by the coronary endothelium, 79

Anderson, L. C. see Garrett, J. R.

Andersson, K. see Nowak, J.

Andonegui, G. see Giordano, M.

Areskog, N.-H. see Savard, G. K.

Arjamaa, O., Karlqvist, K., Vainionpää, V., Leppäluoto, J. & Vuolteenaho, O. Atrial plasma ANP and NH₂-terminal proANP during right atrial pressure increase in humans, 481

Arner, A. see Boels, P. J.

Asea, A. see Jonsdottir, I. H.

Assender, J. W., Irenius, E. & Fredholm, B. B. Endothelin-1 causes a prolonged protein kinase C activation and acts as a co-mitogen in vascular smooth muscle cells, 451

Bäckström, T. see Kilarski, W. M.

Bakken, I. J. see White, L. R.

Benthin, G. see Nowak, J.

Berg, H. E. & Tesch, P. A. Changes in muscle function in response to 10 days of lower limb unloading in humans, 63

Berge, R. K. see Brunvand, H.

Billeter, R. see Puntschart, A.

Boels, P. J., Arner, A., Nilsson, B.-O., Svensson, C. & Uvelius, B. Growth resistance-sized arteries in response to bladder hypertrophy in the rat: time-course, DNAsynthesis and LDH-isoform pattern, 93

Borst, A. How do nerve cells compute? Dendritic integration in fly visual interneurones, 403

Britsch, S., Krippeit-Drews, P. Gregor, M., Lang, F. & Drews G. Effects of glucogon-like peptide-1 on membrane potential and ion channels of mouse panceatic β-cells, 353

Brodin, L. see Shupliakov, O.

Brørs, O. see Stokke, M. Brown, J. C. see McIntosh, C. H. S.

Brunvand, H., Frøyland, L., Westby, J., Hexeberg, E., Berge, R. K. & Grong, K. Peroxisomal fatty acid oxidation capacity is more resistant to ischaemic and reperfusion injury than mitochondrial fatty acid oxidation capacity in feline hearts, 133

Bülow, A. Differentiated effects of vasodilators on myogenic reactivity during partial inhibition of myogenic tone in pressurized skeletal muscle small arteries of the rat, 419

Cerretelli, P. see Narici, M. V.

Chen, J. see Nowak, J.

Chen, Z. Hedner, J. & Hedner, T. Substance P-induced respiratory excitation is blunted by δ-receptor specific opioids in the rat medulla oblongata, 165

Claassen, H. see Narici, M. V.

Clausen, T. see Nielsen, O. B.

Conti, M. see Narici, M. V.

Dallos, G. see Komjáti, K.

Diener, M., Vujicic, Z. & Scharrer, E. Neuronally mediated anion secretion induced by short-chain fatty acids in the rat distal small intestine, 33

Dran, G. see Giordano, M.

Drews, G. see Britsch, S.

Duch, B. U., Petersen, J. A. K., Vinter-Jensen, L. & Gregersen, H. Elastic properties in the circumferential direction in isolated rat small intestine, 157

Edvinsson, L. see White, L. R.

Ekblom, B. see Malm, C.

Ekelund, U. & Mellander, S. Endogenous nitric oxide as a physiological regulator of vascular tone in cat skeletal muscle during haemorrhage, 471

Elsås, T. see White, L. R.

Enger, P. S. see Jansen, J. K. S.

Euler, A. von see Mörk, A.-S.

Faulkner, D. L. see Nikolovski, S.

Fåhræus, C. see Theander, S.

Fournier, P. A. see Nikolovski, S.

Frandsen, U. see Hellsten, Y.

Fredholm, B. B. see Assender, J. W.

Froyland, L. see Brunvand, H.

Fu, X. see Kilarski, W. M.

Gad, H. see Shupliakov, O.

Garrett, J. R., Zhang, X. S., Proctor, G. B., Anderson, L. C., & Shori, D. K. Apical secretion of rat submandibular tissue kallikrein continues in the absence of external stimulation: evidence for a constitutive secretory pathway, 200

Gavardi, C. see Narici, M. V.

Geffner, J. R. see Giordano, M.

Gelling, R. W. see McIntosh, C. H. S.

Giordano, M., Vermeulen, M., Trevani, A. S., Dran, G., Andonegui, G. & Geffner, J. R. Nitric oxide synthase inhibitors enhance plasma level of corticosterone and ACTH, 259

Göke, B., Steffen, H. & Göke, R. The signal transduction of the glucagon-like peptide-1 receptor: fishing beyond the protein kinase level, 321

Göke, R. see Göke, B.

Goodwin, A. T. see Amrani, M.

Grampp, W. see Theander, S.

Gray, C. C. see Amrani, M.

Gray, R. see Jalife, J.

Gregersen, H. see Duch, B. U.

Gregor, M. see Britsch, S.

Gromada, J. & Rorsman, P. Molecular mechanism underlying glucagon-like peptide-1 induced calcium mobilization from internal stores in insulin-secreting βTC3 cells, 349

Grong, K. see Brunvand, H.

Hagelin, E. M. see Stokke, M.

Hansen, L. H. see Nishimura, E.

Hansson, H.-A. see Hellsten, Y.

Hara, M. see Ogita, F.

Hardebo, J. E. see Kåhrström, J.

Hedner, j. see Chen, Z.

Hedner, T. see Chen, Z.

Hellsten, Y., Hansson, H.-A., Johnson, L., Frandsen, U. & Sjödin, B. Increased expression of xanthine oxidase and insulin-like growth factor I (IGF-I) immunoreactivity in skeletal muscle after strenuous exercise in humans, 191

Hellstrand, K. see Jonsdottir, I. H.

Hexeberg, E. see Brunvand, H.

Hjelmqvist, H. see Ullman, J. E.

Hjorth, S. A. & Schwartz, T. W. Glucagon and GLP-1 receptors: lessons from chimeric ligands and receptors,

Hoffmann, P. see Jonsdottir, I. H.

Holst, J. J. Glucagon, glucagon-like peptide-1 and their receptors: an introduction, 309

Hoppeler, H. see Puntschart, A.

Hoppler, H. see Narici, M. V.

Hydbring, E. see Olsson, K.

Ilebekk, A. see Stokke, M.

Irenius, E. see Assender, J. W.

Iwao, S. see Wu, W.

Jalife, J. & Gray, R. Drifting vortices of electrical waves underlie ventricular fibrillation in the rabbit heart, 123

Jansen, J. K. S. & Enger, P. S. NADPH diaphorase activity is asymmetrically distributed in the optic tectum during the period of eye migration in turbots, 515

Johansson, B. L. see Wu, W.

Johansson, C. see Jonsdottir, I. H.

Johnson, L. see Hellsten, Y.

Jonsdottir, I. H., Johansson, C., Asea, A., Hellstrand, K. & Hoffmann, P. Acute mental stress but not enforced muscle activity transiently increases natural cytoxicity in spontaneously hypertensive rats, 443

Jonsson, O. see Sørensen, V.

Jurk, S. see Scholz, H.

Kagaya, A., Ogita, F. & Koyama, A. Vasoconstriction in active calf persists after discontinuation of combined exercise with high-intensity elbow flexion, 85

Karlberg, K .- E. see Nowak, J.

Karlqvist, K. see Arjamaa, O.

Karlsson, S. see Ahrén, B.

Karlsson, S. & Ahrén, B. A role for islet peptide YY in the regulation of insulin secretion, 305

Kayser, B. see Narici, M. V.

Kåhrström, J., Hardebo, J. E. & Owman, C. Neonatal chronic sympathectomy in normotensive rats affects pial arteries: enhanced stiffness and reduced capacity to dilate,

Kåhrström, J., Hardebo, J. E., Nordborg, C. & Owman, C. Neonatal pre-ganglionic sympathectomy affects morphometrically defined architecture in rat cerebral arteries, 225

Khodakhah, K. see Ogden, D. Kiehn, O. & Midtgaard, J. Transmission and processing of synaptic information in single neurones: an introduction,

Kilarski, W. M., Fu, X., Bäckström, T., Roomans, G. M. & Ulmsten, U. Progesterone, oestradiol and oxytocin and their in vitro effect on maintaining the number of gap junction plaques in human myometrium at term, 461

Kirk, O. see Kofod, H.

Kirkebøen, K. A. see Stokke, M.

Kofod, H., Kirk, O. & Adelhorst, K. β-Cell receptors for

glucagon/GLP-1? Properties of exendin(9-39) in mouse

Komjáti, K., Velkei-Harvich, M., Tóth, J., Dallos, G., Nyáry, I. & Sánder, P. Endogenous opioid mechanisms on hypothalmic blood flow autoregulation during haemorrhagic hypotension and angiotensin-induced acute hypertension in cats, 53

Koyana, A. see Kagaya, A.

Krippeit-Drews, P. see Britsch, S.

Kurtz, A. see Scholz, H.

Kvestberg, T. see Steen, J. B.

Landoni, L. see Narici, M. V.

Lang, F. see Britsch, S.

Leppäluoto, J. see Arjamaa, O.

Li, L. see Wu, W.

Lundberg, J. M. see Rinder, J.

Lundgren, K. see Nishimura, C.

Madsen, O. see Nishimura, E.

Mäkinen, T. see Oska, J.

Malm, C., Svensson, M., Sjöberg, B., Ekblom, B. & Sjödin, B. Supplementation with ubiquinone-10 causes cellular damage during intense exercise, 511

Marikkala, V. see Oska, J.

McIntosh, C. H. S., Wheeler, M. B., Gelling, R. W., Brown, J. C. & Pederson, R. A. GIP receptors and signaltransduction in mechanisms, 361

Mellander, S. see Ekelund, U.

Midtgaard, J see Kiehn, O.

Midtgaard, J. Active membrane properties and spatiotemporal synaptic integration in dendrites of vertebrate neurones, 395

Miyachi, M. & Yano, H. Thinning of the capillary endothelium with physical activity shortens the diffusion distance of the plumonary air-blood barrier, 513

Mohus, I. see Steen, J. B.

Mörk, A.-S., Euler, A. von, Roomans, G. M. & Ring, A. cAMP-induced chloride transport in NCL-SG3 sweat gland cells, 21

Moshov, S. see Wei, Y.

Myburgh, K. H. see Weston, A. R.

Næss, P. A. see Stokke, M.

Narici, M. V., Hoppeler, H., Kayser, B., Landoni, L., Claassen, H., Gavardi, C., Conti, M. & Cerretelli, P. Human quadriceps cross-sectional area, torque and neural activation during, 6-months strength training, 175

Nielsen, O. B. & Clausen, T. The significance of active Na+, K+ transport in the maintenance of contractility in rat

skeletal muscle, 199

Nikolovski, S., Faulkner, D. L., Palmer, T. N. & Fournier, P. A. Muscle glycogen repletion from endogenous carbon sources during recovery from high intensity exercise in the fasted rat, 427

Nilsson, B.-O. see Boels, P. J.

Nilsson, U. see Sørensen, V.

Nishimura, E., Abrahamsen, N., Hansen, L. H., Lundgren, K. & Madsen, O. Regulation of glucagon receptor expression, 329

Noakes, T. D. see Weston, A. R.

Nordborg, C. see Kåhrström, J.

Nowak, J., Andersson, K. Benthin, G., Chen, J., Karlberg, K.-E. & Sylvén, C. Effect of nicotine infusion in humans on platelet aggregation and urinary excretion of major thromboxane metabolite, 101

Nyáry, I. see Komjáti, K.

Ogden, D. & Khodakhah, K. Intracellular Ca2+ release by InsP₃ in cerebellar Purkinje neurones, 381

Ogita, F., Hara, M. & Tabata, I. Anaerobic capacity and maximal oxygen uptake during arm stroke, leg kicking and whole body swimming, 435

Ogita, F. see Kagaya, A.

Ohsawa, I. see Wu, W.

Olsson, K. & Hydbring, E. The preference for warm drinking water induces hyperhydration in heat-stressed lactating goats, 109

Østensen, J. & Stokke, E. S. Energy requirement of sodium reabsorption in the thick ascending limb of Henle's loop in the dog kidney: effects of bumetanide and ouabain, 275 Oshida, Y. see Wu, W.

Oska, J., Rintamäki, H., Mäkinen, T., Marikkala, V. & Rusko, H. EMG-activity and muscular performance of lower leg during stretch-shortening cycle after cooling,

Owman, C. see Kåhrström, J.

Pahlmark, K. & Siesjö, B. K. Effects of the spin trap-αphenyl-N-tert-butyl nitrone (PBN) in transient forebrain ischaemia in the rat, 41

Palmer, T. N. see Nikolovski, S.

Pederson, R. A. see McIntosh, C. H. S.

Petersen, J. A. K. see Duch, B. U.

Pettersson, S. see Sørensen, V.

Pieribone, V. A. see Shupliakov, O.

Proctor, G. B. see Garrett, J. R. Puntschart, A., Vogt, M., Widmer, H. R., Hoppeler, H. & Billeter, R. Hsp70 expression in human skeletal muscle after exercise, 411

Reidel, G. & Reymann, K. G. Metabolic glutamte receptors in hippocampal long-term potentiation and learning and memory, 1

Reymann, G.see Reidel, G.

Rinder, J. & Lundberg, J. M. Nasal vasoconstriction and decongestant effects of nitric oxide synthase inhibition in the pig, 233

Ring, A. see Mörk, A.-S.

Rintamäki, H. see Oska, J.

Roomans, G. M. see Kilarski, W. M.

Roomans, G. M. see Mörk, A.-S.

Rønning, K., Sandvik, A. K., & Waldum, H. L. The fade of gastrin-stimulated gastric acid secretion in the rat is due to depletion of releasable mucosal histamine, 487

Rorsman, P. see Gromada, J. Rundgren, M. see Ullman, J. E.

Rusko, H. see Oska, J.

Saltin, B. see Savard, G. K. Sandvik, A. K. see Rønning, K.

Sándor, P. see Komjáti, K.

Sato, J. see Wu, W.

Sato, Y. see Wu, W.

Savard, G. K., Areskog, N.-H. & Saltin, B. Maximal muscle activation is not limited by pulmonary ventilation in chronic hypoxia, 187

Scharrer, E. see Deiner, M.

Scherstén, T. see Sørensen, V.

Scholz, H., Jurk, S. & Kurtz, A. Hypotonic swelling or stretch does not change cytosolic calcium in mouse renal juxtaglomerular cells, 283

Schwartz, T. W. see Hjorth, S. A.

Seisjö, B. K. see Pahlmark, K.

Shori, D. K. see Garrett, J. R.

Shupliakov, O., Pieribone, V. A., Gad, H. & Brodin, L. Presynaptic mechanisms in central synaptic transmission: 'biochemistry' of an intact glucamatergic synapse, 381

Simonsson, E. see Ahrén, B.

Sjaavaag, I. see White, L. R.

Sjöberg, B. see Malm, C.

Sjödin, B. see Hellsten, Y.

Sjödin, B. see Malm, C.

Sjöqvist, P. O. see Sørensen, V.

Sørensen, V., Nilsson, U., Pettersson, S., Scherstén, T., Sjöqvist, P. O., Svensson, L. & Jonsson, O. Effect of a new inhibitor of lipid peroxidation on kidney function after ischaemia-reperfusion. A study on rat and rabbit

Steen, J. B., Mohus, I., Kvesetberg, T. & Walloe, L. Olfaction in bird dogs during hunting, 115

Steffen, H. see Göke, B.

Stokke, E. S. see Østensen, J.

Stokke, M., Kirkebøen, K. A., Næss, P. A., Hagelin, E. M., Ilebekk, A. & Brørs, O. Equal changes in L-type calcium channel density after, 60 min of ischaemia in normal and ischaemically preconditioned porcine myocardium, 147

Svensson, C. see Boels, P. J.

Svensson, L. see Sørensen, V.

Svensson, M. see Malm, C. Sylvén, C. see Nowak, J.

Tabata, I. see Ogita, F.

Tesch, P. A. see Berg, H. E.

Theander, S., Fåhræus, C. & Grampp, W. Analysis of leak current properties in the lobster stretch receptor neurone,

Thorens, B. & Widmann, C. Signal transduction and desensitization of the glucagon-like peptide-1 receptor,

Tóth, J. see Komjáti, K.

Trevani, A. S. see Giordano, M.

Ullman, J. E., Hjelmqvist, H. & Rundgren, M. Intracerebroventricular angiotensin II increases tolerance to blood loss in conscious sheep, 265

Ulmsten, U. see Kilarski, W. M.

Uvelius, B. see Boels, P. J.

Vainionpää, V. see Arjamaa, O.

Valverde, I. & Villanueva-Peñacarillo, M. L. In vitro insulinomimetric effects of GLP-1 in liver, muscle and fat,

Velkei-Harvich, M. see Komjáti, K.

Vermeulan, M. see Giordano, M.

Villanueva-Peñacarillo, M. L. see Valverde, I.

Vincent, M. B. see White, L. R.

Vinter-Jensen, L. see Duch, B. U.

Vogt, M. see Puntschart, A.

Vujicic, Z. see Deiner, M.

Vuolteenaho, O. see Arjamaa, O.

Wahren, J. see Wu, W.

Waldum, H. L. see Rønning, K.

Walloe, L. see Steen, J. B.

Wei, Y. & Mojsov, S. Distribution of GLP-1 and PACAP receptors in human tissues, 355

Westby, J. see Brunvand, H.

Weston, A. R., Wilson, G. R., Noakes, T. D. & Myburgh, K. H. Skeletal muscle buffering capacity is higher in the superficial vastus than in the soleus of spontaneously running rats, 211

Wheeler, M. B. see McIntosh, C. H. S.

White, L. R., Bakken, I. J., Sjaavaag, I., Elsås, T., Vincent, M. B. & Edvinsson, L. Vasoactivity mediated by endothelin ET_A and ET_B receptors in isolated porcine ophthalmic artery, 245

Widmann, C. see Thorens, B. Widmer, H. R. see Puntschart, A.

Wilson, G. R. see Weston, A. R.

Wu, W., Oshida, Y., Yang, W.-P., Li, L., Ohsawa, I., Sato, J, Iwao, S., Johansson, B. L., Wahren, J. & Sato, Y. Effect of C-peptide administration on whole body glucose utilization in STZ-induced diabetic rats, 253

Yacoub, M. H. see Amrani, M. Yang, W.-P. see Wu, W. Yano, H. see Miyachi, M.

Zhang, X. S. see Garrett, J. R.

Subject index

Acetazolamide, 275 Acetylcholine, 419 ACTH, 259 Active zone, 369 Adaptation, 411 α-adrenoceptor agonists, 233 Ageing, 79 Altitude, 187 cAMP, 317, 321 Anaerobic activity, 435 Angiotensin-II, 53 ANP, 481 NT-proANP, 481 Antagonist, 347 Arterial compliance, 217 Arteries, 471 Autoregulation, 53

Biomechanical wall properties, 157 Bird dogs, 115 Blood flow, 85 Blood pressure, 265 Bosentan, 245 Brain damage, 41 Buffering, 211 Bumetanide, 275

Calcium, 349, 367, 381, 395, 451 Calcium antagonists, 147 Calcium channel blockers, 419 Calcium channels, 147 Capillary pressure, 471 Capsaicin, 233 Carbachol, 333 Cardiac arrhythmia, 123 Catecholamines, 443 CCK, 333 β-cell, 365 B-cells, 317 HIT-T15 cells, 333 RINm5F cells, 333 Cellular damage, 511 Cerebellum, 395 Cerebral blood flow, 217 CFTR, 21 Chloride channel blockers, 21 Chronic sympathectomy, 225 Cl secretion, 33 Cobalt, 493 Combined exercise, 85 Constitutive secretion, 299 Cooling, 71 Coronary artery, 79 Coronary flow, 79 Coronary vascular smooth muscle, 79 Corticosterone, 259 Cortisol, 109 Cross-sectional area, 157

Dendrites, 367, 395 Desensitization, 317 Diabetics, 253 DNA synthesis, 451 Doppler effect, 123

ECG, 123 ECL cell, 487 EDNO, 471 **EDRF**, 471 Elastic energy, 71 Elbow flexion, 85 Electomicroscopy, 513 Electromyography, 63 EMG, 71, 175 Endothelin, 245 Endothelin-receptors, 245 Endothelium, 79, 513 Endurance, 199 Enkephalin, 165 Enteric nervous system, 33 Enzymes, 211 Euglycaemic clamp, 253 Exendin, 347 Exercise, 175, 211, 411, 427, 511, 513 Exocytosis, 369 Extracellular potassium, 493

Fibre type, 211 Flatfish, 515 Forebrain ischaemia, 41 Forskolin, 321 FR, 139317, 245 Free radicals, 41 Free radicals overtraining, 511

Gap junctions, 461 GLP-1, 329, 333, 347, 359 Glucagon, 329, 347 Glucagon-like peptide-1, 321, 349 Gluco-incretins, 317 Glucose-metabolism, 359 Glycogen resynthesis, 427 Goat, 109 Growth, 93 Growth factor, 451 GRP, 333

Haemodilution, 265
Haemorrhage, 471
Haemorrhagic hypotension, 53
Heart rate, 187
Heat exposure, 109
Heat shock protein, 411
Hepatectomy, 427
Hepatocytes, 329
Hippocampus, 395
Histamine-stimulated, 487
Human muscle, 411
Human myometrium, 461

Current kinetics, 493

Cytoplasmic calcium, 333

Hyperhydration, 109 Hypertrophy, 93, 175 Hypothalamic blood flow, 53

Impedance planimetry, 157 In vivo cytotoxicity, 443 Inactivity, 63 Incretin, 359 Incretin hormones, 309 Inositol triphosphate, 381 Insulin, 349, 359 Insulin action, 253 Insulin secretion, 309, 333, 365 Insulinomas, 317 Intracellular calcium, 333 Intracellular sodium, 199 Ion transport, 21 Iosmetric muscle actions, 63 IP₃, 367 Ischaemic preconditioning, 147 Islet, 365 Islets, 329 Isolated intestine, 157 Isolated rat stomach, 487

Kallikrein, 299

Lactate dehydrogenase, 93
Lactation, 109
Leak channel, 493
Leak current, 493
Learning and memory, 1
Lipoid peroxidation, 289
Lobster-stretch receptor neurone, 493
Local muscle groups, 435
Long-term potentiaion, 1
LTP, 367
Lung, 513

Maleate, 275 Mathematical model, 123 Maximal oxygen uptake, 435 Maximal voluntary contraction, 187 Maximum voluntary force, 63 Medulla oblongata, 165 Metabolic glutamate receptors, 1 Metabolic rate, 275 Metamorphosis, 515 mGluR, 367 Microcirculation, 471 Morphometry, 225, 513 Motor control, 71 Muscle, 175, 211, 427 Muscle activation, 187 Muscle fatigue, 199 Muscle stimulation, 443 Muscular performance, 71 Myocardial ischaemia, 147 Myocardial ischaemia and reperfusion, 133 Myocardial metabolism, 133 Myogenic reactivity, 419 Myogenic tone, 419

Na⁺, K⁺ pump, 199 Nasal mucosa, 233 Natural killer cells, 443 Naxolene, 53
Nerve terminal, 369
Neuronal network, 367
Nicotine, 101
Nitric oxide, 79, 233, 259
N™-nitro-L-arginine, 233
Non-insulin-dependent diabetes mellitus, 349
Non-insulin-dependent mellitus, 309
Noradrenaline, 471
Norepinephrine, 265
NOS, 515

Oestradiol, 461 Olfaction, 115 Opiates, 53 δ-opioid receptor, 165 Opthalmic artery, 245 Optical mapping, 123 Ouabain, 199, 275 Oxygen consumption, 275 Oxygen radicals, 289 Oxytocin, 461

Parasympathetic stimulation, 299 Patch-clamp, 21 PCR, 411 C-peptide, 253 Peptide YY, 305 Persistant vasoconstriction, 85 Phorbol ester, 451 Phosphorylation, 321 Pial arteries, 225 Pinacidil, 419 Plantar flexion, 85 Platelet aggregation, 101 Potassium channels, 395 Potassium current, 493 Progesterone, 461 Proglucagon processing, 309 Protein kinase A, 321 Protein kinase C, 451 Pulmonary ventilation, 187 Purkinje cells, 395 Purkinje neurones, 381 Pyramidal cells, 395 PYY, 365

Radioimmunoassay, 481 Rat, 165, 211, 513 Rat heart, 79 Rat islets, 333 Receptor, 321, 347 Receptors, 317, 329 Recovery, 63, 427 Regional function, 133 Renal ischaemia, 289 Renin, 265, 283 Resistance training, 175 Resistance vessels, 93 Respiration, 165 Resting potential, 493 Right arterial pressure, 481 mRNA, 329

Saliva, 299 Sarafotoxin, 245 Scroll wave, 123 Short-chain fatty acids, 33 Small intestine (rat), 33 Smoking, 101 Smooth muscle, 93, 451 Sniffing, 115 Sodium transport, 275 Spin traps, 41 Spiral wave, 123 Spontaneously hypertensive rats, 443 Steroidogenesis, 259 Stress, 443 Stretch-channels, 283 Stretch-shortening cycle, 71 Submandibular gland, 299 Substance P, 165 Supramaximal exercise, 435 Sweat gland, 21 Swimming, 435 Sympathectomy, 217 Sympathetic nerves, 225 Synapsin, 367, 369

Synaptic plasicity, 1 Synaptic vesicle, 369 Synaptotagmin, 369

Thick ascending limb of Henle's loop, 275
Thirst, 109
Thromboxane, 101
[3H]thymidine, 93
7TM receptors, 309
Trophic effect, 225
Trophic effects, 217

Ubiquinone-10, 511

Vascular regulation, 233

Vascular regulation, 233
Vascular resistance, 471
Vascular smooth muscle, 419
Vasocontriction, 245
Vasodilation, 245, 419, 471
Vasopressin, 265
Veins, 471
Ventilation, 115
Voltage sensitve dyes, 123
Vo_{2MAX}, 513

Water temperature, 109